


# CONTINUOUS BAND SEALER MACHINE – HORIZONTAL

- MS Model
- Digital Temperature Controller
- High Speed (m/min) 0-12
- Max conveyor Loading - 3kgs
- Sealing Width (mm) – 8to12
- Emergency Stop
- Low Maintenance
- High Quality
- Suitable for LD Pouches,  
Aluminium Foils, Silver Foils, Etc.



# CONTINUOUS BAND SEALER MACHINE - VERTICAL

- SS Model With MCB Switch
- Digital Temperature Controller
- High Speed (m/min) 0-12
- Max conveyor Loading - 3kgs
- Sealing Width (mm) – 8to12
- Emergency Stop
- Low Maintenance
- High Quality
- Suitable for LD Pouches, Aluminium Foils, Silver Foils, Etc



# LF 1080B CONTINUOUS AIR SUCTION BAND SEALER

- Sealing Width : 6 to 12 MM
- Temperature Range : 0 to 300
- Max Conveyor Loading : 3 kgs
- Max Thickness of single layer film : 0.08 MM
- According to the latest requirement of market this model is capable of performing 5 different task in one machine like vacuum, inflatable (such as nitrogen or other gases), seal, code, in one set, continuous sealing and packing machine.



# DZ 300 A HOUSEHOLD VACCUM SEALING MACHINE

- Width of sealing : 40 – 300 mm
- Vacuum Capacity : 0.035 Mpa
- Cost effective
- Low maintenance
- Highly efficient
- Mainly used by small scale business as it is cost effective
- Vacuum sealing increases the life of the food products.



# VACCUM SEALING MACHINE (DZ 260 MODEL)

- Sealing Length : 260\*10 MM
- Sealing Speed : 1-4 times/minute (Depending On Product)
- Workroom Size: 280\*390\*60 MM
- DZ 260 Table type vacuum packaging machine is featured by processing of vacuuming, sealing, cooling which is used in vacuum packaging for the food, pharmaceutical, aquatic, chemical and electronic industries.





# VACUUM SEALING MACHINE ( DZ / DZQ 500 MODEL)

- Sealing Length : 500\*10 MM
- Sealing Speed : 1-4 Times/minutes
- Workroom Size: 520\*540\*80 MM
- DZ400-2D is featured by automatic processing of vacuuming, sealing, printing, cooling, which is used in vacuum packaging for the food ,pharmaceutical, aquatic, chemical and electronic industries.
- It also comes with the facility of nitrogen gas filling Optional.



# VACUUM SEALING MACHINE (DZ 500 2SB DOUBLE CHAMBER)

- Power : 2.3 KW
- Sealing Length : 500\*10 MM & 600\*10 MM
- Sealing Speed : 1 – 4 Times/Min
- Workroom Size : 620\*520\*120 MM  
670\*540\*120 MM
- It has higher efficiency than single chamber machine.
- Vacuum Packaging can prevent the products from oxidization and mildew, as well as corrosion and moisture.



# GRANULE FILLING MACHINE

- **Packing Range : 10-100 GM, 50-500 GM, 100-1000 GM, 500-5000 GM**
- **Accuracy : 0.2g (Depending on Product)**
- **Power Supply : 110/220 V**
- **Speed : 5-15 Times/Minute (Depending on Product and Filling Range)**
- **Speed Rating : Adjustable (Fast, Medium, Slow)**
- **Suitable for all types of granules like pulses, grains, dry fruits, as well as dry powder.**



# FULLY AUTOMATIC FILLING AND SEALING MACHINE – FFS

- Filling Range : 2-100 GM, 50-1000 GM
- Pouch Material: Any type of LD film.
- Speed : 5 to 7 Pouches/Min  
(Depending On Product)
- Can be used for materials like grains, pulses, dry fruits, dry powder, etc....
- Can be customized to be used with coding machine to print date, batch no, etc.



# ROUND BOTTLE LABELLING MACHINE ( SEMI – AUTOMATIC) MT50

- **Model Name : MT 50 / MT 50 C**
- **Labelling Speed : 25 – 30 pcs/min**
- **Precision : 0.5**
- **Label Roll Diameter : 75 – 250 MM**
- **Bottle Diameter : 20 – 120 MM**
- **Max label Size: 150\*230 MM**
- **Suitable for round bottle, circular tank, PET bottles, plastic bottles, metal bottles, glass bottles.**
- **Widely used in food, beverage, pharmaceutical and other industries.**
- **Attachment of coding machine is also possible in this machine.**




# LIQUID FILLING MACHINE (DESKTOP MODEL)

- Filling Type : Single Nozzle, Double Nozzle
- Filling Range : 5- 3500 ML
- Max Filling : 3.2 Litre/ Min ( Depending On Product)
- Accuracy : +/- 0.5%
- Suitable for filling of low viscous liquids like water, perfume, Phenyl, etc.
- Simple to operate and cost effective.
- High filling efficiency and accurate measurement.



# LIQUID FILLING MACHINE (SEMI – AUTOMATIC)

- **FILLING TYPE :** Single Nozzle, Double Nozzle
- **FILLING RANGE :** 10-100ML, 50-500ML, 100-1000ML
- **EFFICIENCY :** 600 TO 1500 Bottles/Hr. (Depending on Product)
- **Piston and Hopper are made up of Stainless Steel 304 Grade.**
- **Requires Air Compressor for machine.**
- **Suitable for high viscous liquid products like Edible oil, Toilet Cleaner, Handwash, Engine oil, etc.**



# PASTE FILLER MACHINE A03 (MANUAL)

- Filling Range : 5-50 ML
- Hopper Capacity : 10 L
- Drive Mode : Handle Press
- Suitable for products like Mayonnaise, Peanut Butter, Chocolate, Multani Matti, Cup Cake, etc....
- Simple to operate and easy to use.
- Low maintenance and cost effective.
- No Electricity Required.

## EASY TO OPERATE

Manual operation, no need to use other tools

How to use it?



Step1: Add the filling material to the hopper



Step2: Adjust the Screw to control the output



Step3: Pull the handle manually

## Clean the Machine Easily



Remove the Screw



Unloading the Hopper



Clean the Machine

# PASTE FILLER MACHINE (SEMI – AUTOMATIC)

- **FILLING TYPE :** Single Nozzle, Double Nozzle
- **FILLING RANGE :** 10-100ML, 50-500ML, 100-1000ML
- **EFFICIENCY :** 600 TO 1500 Bottles/Hr. (Depending on Product)
- **Piston and Hopper are made up of Stainless Steel 304 Grade.**
- **Requires Air Compressor for machine.**
- **Suitable for products like Jam, Gel, Mayonnaise, Ginger – Garlic Paste, Honey, etc.....**



# CARTON SEALING MACHINE

- **Model Name : FXA 6050**
- **Max Sealing Size (W\*H) : 500 \* 600 mm**
- **Min Sealing Size (W\*H) : 140 \* 150 mm**
- **Width of adhesive tape : 36mm, 48mm, 60mm**
- **Sealing Capacity : Approx. 1000 Standard cases per hour.**
- **Up and Down Sealing at a time.**
- **Smooth feeding & perfect sealing (tidy, firm, no tearing).**
- **Fast and Easy operative.**
- **Widely used in fields of electrical domestic appliances, textiles, foodstuffs, general merchandise, medicine's, chemical industry, etc.**



# CARTON FOLDING AND SEALING MACHINE ( AUTOMATIC)

- **Model Name : FXJ 5050Z**
- **Max Sealing Size (W\*H) : 500 \* 500 mm**
- **Min Sealing Size (W\*H) : 200 \* 200 mm**
- **Width of adhesive tape : 48mm, 60mm, 75mm**
- **Packing Speed : 18 m/min**
- **Fast and Easy operative.**
- **Widely used in fields of electrical domestic appliances, textiles, foodstuffs, general merchandise, medicine's, chemical industry, etc.**



# CARTOON TAPPING AND STRAPPING COMBO MACHINE

<b>Model</b>	<b>FXC-5050A</b>	<b>DBA -200</b>
<b>Max packing size</b>	<b>500*500mm</b>	<b>850*650mm</b>
<b>Min packing size</b>	<b>140*140mm</b>	<b>100*30mm</b>
<b>Production capacity</b>	<b>1000cartons/H</b>	<b>150*150mm</b>
<b>Belt width</b>	<b>48,60,75mm</b>	<b>8-19mm</b>
<b>Power</b>	<b>180W</b>	<b>0.85kw</b>
<b>Voltage</b>	<b>220V/50HZ</b>	<b>380V/50HZ</b>
<b>Machine size</b>	<b>1890*820*1410mm</b>	<b>1412*600*1540mm</b>
<b>Weight</b>	<b>124Kg</b>	<b>230Kg</b>





# AUTOMATIC HEIGHT ADJUSTABLE CARTOON SEALER

<b>Model</b>	<b>DQFXA6050</b>
<b>Sealing capacity</b>	<b>about 1,000 standard cases per hour</b>
<b>Adhesive tape used</b>	<b>BOPP, waterfree adhesive Tape, PVC adhesive tape</b>
<b>Width of adhesive tape</b>	<b>48,60mm</b>
<b>Power sources</b>	<b>220V, 50Hz, 180W</b>
<b>Max. sealing dimensions (W*H)</b>	<b>500* 500mm</b>
<b>Min. sealing dimensions (W*H)</b>	<b>140*150mm</b>



# STRAPPING MACHINE (SEMI – AUTOMATIC)

- Top Cover : 1.5 MM Stainless Steel
- PP Strap : 12MM (9-15MM Adjustable)
- Control Panel : Push Button Type
- Colour : Machine Body Dark Violet, Front Panel Blue
- Aluminium /Copper Winding Motor
- Steel Roller With Aluminium Bearing Housing.



# AUTOMATIC L SEALER WITH SHRINK TUNNEL

MODEL	QL 5545 - 1	BS-D4520
Max Packing Size	L450* W350* H130	W450*H200
Max Width of film	500 MM	
Min Packing Size	60 MM	
Max Sealing Size	L550*W450	
Capacity	0-25 pcs/ min	0-15 pcs/ min
Sealing Temperature	180 – 250 Celsius	
Thickness of the film	0.015 – 0.10	



# SHRINK TUNNEL MACHINE



# STRETCH WRAPPING MACHINE

- This Wrapper is specially designed for packing small and medium sized objects packed in carton box or directly palletized onto the rotating platform without pallet.
- The machine is widely suitable for goods with light weight that can be manually loaded & unloaded from the machine .
- Max Packing Size : 900\*900\*900 MM
- Max Loading : 80 Kg
- Speed : 30 Rotation/Min



# ELECTRIC CAPPING MACHINE XP2

- Speed : About 25 Bottles/Minute.
- Capping Diameter : 10 to 50 MM
- Clutch : Adjustable
- Bottle Height : All
- Adjustable clutch can effectively avoid the cap damage and reduce the wear and tear inside the plug.
- Easy operation.
- Cost effective.
- Low failure rate.



# Desktop Bottle Capping Machine

## DDX-450

**Model DDX-450**

**Voltage: 220V / 50Hz**

**Capacity: 50W**

**Working mode: automatic / hand stamping**

**Bottle height: 40-200mm**

**Bottle cap diameter: 150mm**

**Bottle cap: Plastic lid with lace swirl like bottle of spring water.**

**Working speed: 200 bottles / minute**

**Size: 520 \* 300 \* 530 (mm)**

**Weight: 32 Kg**



# HANDY INKJET PRINTER

- **Maximum Printing Height : 12.7 MM & 25.4 MM**
- **It supports Barcode, QR code printing also.**
- **It also has the facility of changing font.**
- **It can be used online type by attaching stand and sensor which makes working more easy.**



# CONVEYOR BELT FOR INKJET

PVC BELT WIDTH	190 MM , 290 MM
PVC BELT THICKNESS	2 MM
TRANSPORT SPEED	0 – 30 M/min
BASE HEIGHT	+/- 20 mm (Adjustable)
LENGTH	1.5 Meter
WIDTH	8 INCH , 12 INCH



# ONLINE CODING STACK POUCH FEEDER (STACKER CONVEYOR)



Material	Stainless Steel
Speed	5-25 m/min
Usage /Application	For Inkjet Printing
Length	1-10 feet
Belt Speed	Variable
Voltage	220V
Power	60W
Outside Size	1540 x 340 x 215 mm



# ONLINE RIBBON CODING MACHINE

## HP 241 G 500 MM 4 line

- Printing Speed 20-100pcs/min
- Printing area Max  $\leq 16\text{MM} \times 35\text{mm}$
- Hot printer width Max  $\leq 35\text{mm}$
- Size (L x W x H) 510 x 200 x 250m
- It comes with Brass Holder
- Available in two models one with buzzer and another without buzzer.
- Generally used is fully automatic machine to print mfg. date, batch no, etc.



# Online Solid Ink Coding Machine

## HP 280 500mm 4 line

**Print range- Axial 40mm**

**Print speed Up to 350 BPM**

**Linespeed- upto 70 meters / min**

**Print spacing (two wheel) or 35mm  
(four groups of characters round)**

**Print type- Positive print (wheel  
clockwise)**


**Solid ink wheel size 36x 40 diameter  
(maximum length) mm**

**Power supply AC 220V + 10V, 50HZ**

**Temperature 4-38 °C**

**Relative humidity 10%-95% (non-  
condensing)**

**Weight 2.2KG print head**



# INDUCTION SEALING MACHINE (PORTABLE) DGYF 500A

- Model Name : DGYF – S500A
- Capacity : 0-50 PCS/Min
- Sealing Diameter : 20 to 100 MM
- It utilizes electro magnetic induction principle to produce instant high heat to melt aluminium foil, then it adheres to the bung hole, reaching the aim of leakage proof, mildew – proof and extending preservation time.
- Used in industry such as pharmaceuticals, pesticides, lubricant and cosmetics etc.



# INDUCTION SEALING MACHINE (PORTABLE) DGYF 500C

- **Model Name : DGYF – S500C**
- **Capacity : 0-50 PCS/Min**
- **Sealing Diameter : 60 to 130 MM**
- **It utilizes electro magnetic induction principle to produce instant high heat to melt aluminium foil, then it adheres to the bung hole, reaching the aim of leakage proof, mildew – proof and extending preservation time.**
- **Used in industry such as pharmaceuticals, pesticides, lubricant and cosmetics etc.**



# INDUCTION SEALING MACHINE ( CONTINUOUS) LX6000

- Model Name : LGYF 6000A
- Sealing Speed : 0-10 m/min
- Sealing Diameter : 20 – 80 MM
- Height of Bottle : 80 – 300 MM
- Diameter of Bottle : 20 – 80 MM
- Total Maximum Weight : 5 Kgs
- Body Type –SS
- Seal Type : Continuous
- Used in pharmaceuticals, food industry.



# INDUCTION SEALING MACHINE ( CONTINUOUS) LGYF 2000AX

- **Model Name : LGYF 2000AX**
- **Capacity : 0-12 m/min**
- **Sealing Diameter : 20 – 130 MM**
- **Height of bottle : 40 – 300 MM**
- **Total Maximum Weight : 5 Kgs**
- **Seal Type : Continuous**
- **Used in pharmaceuticals, food industry.**



# CUP SEALER MACHINE

( Diameter 70, 75, 90, 95 MM)



**MANUAL**



**SEMI - AUTOMATIC**



**AUTOMATIC**